FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

Date of Report: 02/06/03
Date Received: 01/30/03
Project: Metro Self Monitor, PO# M69355, F&BI 301240
Date Extracted: 01/31/03
Date Analyzed: 01/31/03

RESULTS FROM THE ANALYSIS OF THE WATER SAMPLE FOR TOTAL METALS BY INDUCTIVELY COUPLED PLASMA (ICP) (METHOD 6010)

Results Reported as mg/L (ppm)

Sample ID Laboratory ID	Chromium	Copper	Nickel	Zinc
M69355 301240-01	0.17	0.18	0.09	0.12
Method Blank	<0.05	<0.05	<0.05	<0.05

Date of Report: 02/06/03
Date Received: 01/30/03
Project: Metro Self Monitor, PO# M69355, F&BI 301240

QUALITY ASSURANCE RESULTS FROM TOTAL METALS BY INDUCTIVELY COUPLED PLASMA (ICP) (METHOD 6010)

Laboratory Code: 301240-01 (Duplicate)

Analyte	Reporting Units	Sample Result	Duplicate Result	Relative Percent Difference	Acceptance Criteria
Chromium	mg/L (ppm)	0.17	0.17	0	0-20
Copper	mg/L (ppm)	0.18	0.18	0	0-20
Nickel	mg/L (ppm)	0.09	0.09	0	0-20
Zinc	mg/L (ppm)	0.12	0.05	a	0-20

Laboratory Code: 301240-01 (Matrix Spike)

Analyte	Reporting Units	Spike Level	Sample Result	% Recovery MS	Acceptance Criteria
Chromium	mg/L (ppm)	2	0.17	91	80-120
Copper	mg/L (ppm)	2	0.18	89	80-120
Nickel	mg/L (ppm)	4	0.09	90	80-120
Zinc	mg/L (ppm)	2	0.12	88	80-120

Laboratory Code: Laboratory Control Sample

Analyte	Reporting Units	Spike Level	% Recovery LCS	% Recovery LCSD	Acceptance Criteria	RPD (Limit 20)
Chromium	mg/L (ppm)	2	97	94	80-120	3
Copper	mg/L (ppm)	2	97	95	80-120	2
Nickel	mg/L (ppm)	4	97	95	80-120	2
Zinc	mg/L (ppm)	2	98	95	80-120	3

a - The analyte was detected at a level less than five times the reporting limit. The RPD results may not provide reliable information on the variability of the analysis.

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

James E. Bruya, Ph.D.
Charlene Morrow, M.S.
Yelena Aravkina, M.S.
Bradley T. Benson, B.S.
Kurt Johnson, B.S.

3012 16th Avenue West
Seattle, WA 98119-2029
TEL: (206) 285-8282
FAX: (206) 283-5044
e-mail: fbi@isomedia.com

February 6, 2003

DUPLICATE COPY

INVOICE # 03ACU0206-1

Accounts Payable
Alaskan Copper Works
628 South Hanford
Seattle, WA 98134

RE: Project Metro Self Monitor, PO# M69355, F&BI 301240 - Results of testing requested by Gerry Thompson for material submitted on January 30, 2003.

1 sample analyzed for Total Chromium, Copper, Nickel and Zinc by Method 6010B @ $80 per sample	$ 80.00
Amount Due	$ 80.00

FEDERAL TAX ID # (b) (6)

301240

SAMPLE CHAIN OF CUSTODY

ME 1/30/03 AI,

AKC-000893

Send Report To G. Thompson
Company ALASKAN COPPER WORKS
Address 628 S. Hanford ST
City, State, ZIP SEATTLE WA 98134
Phone # 206-382-8779 Fax # 206-382-4305

SAMPLERS (Signature)
PROJECT NAME/NO. METRO SCG monitor
PO # M69355
REMARKS

Page # _____ of _____
TURNAROUND TIME
☐ Standard (2 Weeks)
☐ RUSH
Rush charges authorized by:

SAMPLE DISPOSAL
☐ Dispose after 30 days
☐ Return samples
☐ Will call with instructions

Sample ID	Lab ID	Date	Time	Sample Type	# of containers	ANALYSES REQUESTED: TPH-Diesel	TPH-Gasoline	BTEX by 8021B	VOCs by 8260	SVOCs by 8270	HFS	Cu, Cu, Zn					Notes
M69355	01	1/30/03	12:30	H2O	1												

	SIGNATURE	PRINT NAME	COMPANY	DATE	TIME
Relinquished by:		G. Thompson	ACW	1/30/03	1:15pm
Received by:	Tara E. DeGraff	Tara E. DeGraff	F&BI	01/30/03	2:35pm
Relinquished by:					
Received by:					

Friedman & Bruya, Inc.
3012 16th Avenue West
Seattle, WA 98119-2029
Ph. (206) 285-8282
Fax (206) 283-5044

FORMS\COC\COC.DOC

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

James E. Bruya, Ph.D.
Charlene Morrow, M.S.
Yelena Aravkina, M.S.
Bradley T. Benson, B.S.
Kurt Johnson, B.S.

3012 16th Avenue West
Seattle, WA 98119-2029
TEL: (206) 285-8282
FAX: (206) 283-5044
e-mail: fbi@isomedia.com

February 6, 2003

Gerry Thompson, Project Manager
Alaskan Copper Works
628 South Hanford
Seattle, WA 98134

Dear Mr. Thompson:

Included are the results from the testing of material submitted on January 30, 2003 from the Metro Self Monitor, PO# M69355, F&BI 301240 project. There are 2 pages included in this report. Any samples that may remain are currently scheduled for disposal in 30 days. If you would like us to return your samples or arrange for long term storage at our offices, please contact us as soon as possible.

We appreciate this opportunity to be of service to you and hope you will call if you should have any questions.

Sincerely,

FRIEDMAN & BRUYA, INC.

Michael Erdahl
Project Manager

Enclosures
ACU0206R.DOC